

Hot Topics
06/02/2017

| Outstanding Previous Item | Update/Status |
|-------------------------------------------------------------------------|--------------------------------------------------------------------|
| Craig Power Station Settlement and Regional Haze SIP Action (CO) | Non-MS4 Deliberative (ex. 5) material, see p. 4-5 for MS4 material |
| NPL Listings | |
| OW Methods Update Rule | |
| Logan UT attainment date extension/Imperial Valley conditional approval | |
| Winona Lodge UIC Permit denial | |
| | |

| Issue | Summary & Context | Action Required? | Deadline or milestone? | Next Step |
|-------------|--------------------------------------------------------------------|------------------|------------------------|-----------|
| 2018 Budget | Non-MS4 Deliberative (ex. 5) material, see p. 4-5 for MS4 material | | | |
| 2018-2022 | | | | |

| | |
|-----------------------------------------------------|----------------------------------------------------------------------------------|
| Strategic Plan | <p>Non-MS4 Deliberative (ex. 5) material, see p. 4-5 for MS4 material</p> |
| Waters of the U.S. | |
| Drinking Water SRF Eligibility Handbook | |
| Meetings for the 2019 Refinement of IPCC Guidelines | |
| Ozone Transport Commission | |

**(OTC) Spring
Meeting**

First meeting of
Negotiated
Rulemaking
Committee on
Chemical Data
Reporting for
Inorganic
Byproducts

2017 Green
Chemistry
Challenge
Award

CCR State
Permit
Program
Guidance

Clean Air Act

Non-MS4 Deliberative (ex. 5) material, see p. 4-5 for MS4 material

| | | | | |
|---------------------------------------------------|----------------------------------------------------------------------------------|-----------|--|--|
| 112r Risk Management Program Rule | <p>Non-MS4 Deliberative (ex. 5) material, see p. 4-5 for MS4 material</p> | | | |
| Gold King Mine Reimbursement Report to Congress. | | | | |
| Brownfields Funding Announcement | | | | |
| VW Civil Litigation | | | | |
| Scientific Integrity Annual Employee Conversation | | | | |
| R1: MA MS4 | On Friday, May 26, the group of municipalities that appealed the MA MS4 | Awareness | | |

| | | | | |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| Permit Appeal | Stormwater General Permit, filed a joint request with the Acting Regional Administrator to stay the effective date of the permit (July 1, 2017) pending resolution of their ongoing appeal in the U.S. Court of Appeals for the D.C. Circuit, alleging that the affected municipalities will suffer irreparable harm if the MS4 permit is not stayed pending judicial review. The Region is considering how to respond to the request and will coordinate with HQ offices (OGC and OW), as well as DOJ, before preparing our response. | | | |
| R2: PFOA Contamination Community Meeting in Newburgh, NY | <p>Non-MS4 Deliberative (ex. 5) material, see p. 4-5 for MS4 material</p> | | | |
| R2: Media Availability on the Morgan Materials Superfund site in Tonawanda, New York | | | | |
| R6: Denka Pontchartrain Plant, LaPlace, LA | | | | |

| | |
|------------------------------------------------------------------------------|--|
| | |
| R6: Texas Regional Haze | |
| | |
| R10: Kapstone (WA) formal information request | |
| | |
| R10: State of Idaho Class II Underground Injection Control Wells | |

Non-MS4 Deliberative (ex. 5) material, see p. 4-5 for MS4 material

Major OGC
Deadlines

Non-MS4 Deliberative (ex. 5) material, see p. 4-5 for MS4 material

Non-MS4 Deliberative (ex. 5) material, see p. 4-5 for MS4 material